

PA 1274812

THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME;

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

January 24, 2005

THIS IS TO CERTIFY THAT ANNEXED HERETO IS A TRUE COPY FROM THE RECORDS OF THE UNITED STATES PATENT AND TRADEMARK OFFICE OF THOSE PAPERS OF THE BELOW IDENTIFIED PATENT APPLICATION THAT MET THE REQUIREMENTS TO BE GRANTED A FILING DATE UNDER 35 USC 111.

APPLICATION NUMBER: 60/456,863

FILING DATE: March 21, 2003

AU /04/ 353

**By Authority of the
COMMISSIONER OF PATENTS AND TRADEMARKS**



W. Montgomery
W. MONTGOMERY
Certifying Officer

BEST AVAILABLE COPY

03-24-03 60456863 032107

Please type a plus sign (+) inside this box →



PTO/SB/16 (8-00)

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

PROVISIONAL APPLICATION FOR PATENT COVER SHEET

This is a request for filing a PROVISIONAL APPLICATION FOR PATENT under 37 CFR 1.53(c).

INVENTOR(S)

Given Name (first and middle (if any))	Family Name or Surname	Residence (City and either State or Foreign Country)
Peter James	Osborne	Qld, Australia

☐ Additional inventors are being named on the _____ separately numbered sheets attached hereto

TITLE OF THE INVENTION (280 characters max)

AN ADMINISTRATIVE SYSTEM

Direct all correspondence to:

CORRESPONDENCE ADDRESS

☒ Customer Number **00832**
Place Customer Number
Bar Code Label here

OR

Type Customer Number here

☐ Firm or
Individual Name

Address

Address

City

State

ZIP

Country

Telephone

Fax

ENCLOSED APPLICATION PARTS (check all that apply)

☒ Specification Number of Pages

39

☐ CD(s), Number

☒ Drawing(s) Number of Sheets

30

☐ Other (specify)

☒ Application Data Sheet. See 37 CFR 1.76

METHOD OF PAYMENT OF FILING FEES FOR THIS PROVISIONAL APPLICATION FOR PATENT (check one)

☒ Applicant claims small entity status. See 37 CFR 1.27.

☒ A check or money order is enclosed to cover the filing fees

☒ The Commissioner is hereby authorized to charge filing fees or credit any overpayment to Deposit Account Number:

02-0385

☐ Payment by credit card. Form PTO-2038 is attached.
FILING FEE
AMOUNT (\$)

\$80.00

The invention was made by an agency of the United States Government or under a contract with an agency of the United States Government.

☒ No.

☐ Yes, the name of the U.S. Government agency and the Government contract number are:

Respectfully submitted,

SIGNATURE

Date

3/21/03

TYPED or PRINTED NAME Michael D. Schwartz

TELEPHONE 260-424-8000

REGISTRATION NO.
(if appropriate)

44,326

Docket Number:

ENB0002

USE ONLY FOR FILING A PROVISIONAL APPLICATION FOR PATENT

This collection of information is required by 37 CFR 1.51. The information is used by the public to file (and by the PTO to process) a provisional application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 8 hours to complete, including gathering, preparing, and submitting the complete provisional application to the PTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Box Provisional Application, Assistant Commissioner for Patents, Washington, D.C.

P19SMALL/REV05

60452363 . 032103

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

Approved for use through 04/30/2003. OMB 0651-0032
Patent and Trademark Office: U.S. DEPARTMENT OF COMMERCE**FEE TRANSMITTAL
for FY 2003**

Effective 01/01/2003. Patent fees are subject to annual revision.

☒ Applicant claims small entity status. See 37 CFR 1.27

TOTAL AMOUNT OF PAYMENT (\$) \$80.00

Complete if Known

Application Number

Filing Date

First Named Inventor

Peter James Osborne

Examiner Name

Group Art Unit

Attorney Docket No.

ENB0002

METHOD OF PAYMENT (check all that apply)☒ Check ☐ Credit card ☐ Money Order ☐ Other ☐ None☒ Deposit Account:Deposit
Account
Number

02-0385

Deposit
Account
Name

BAKER & DANIELS

The Commissioner is authorized to: (check all that apply)

☐ Charge fee(s) indicated below ☒ Credit any overpayments☒ Charge any additional fee(s) during the pendency of this application☐ Charge fee(s) indicated below, except for the filing fee to the above-identified deposit account.**FEE CALCULATION****1. BASIC FILING FEE**

Large Entity		Small Entity		Fee Description	Fee Paid
Fee Code	Fee (\$)	Fee Code	Fee (\$)		
1001	750	2001	375	Utility filing fee	
1002	330	2002	165	Design filing	
1003	520	2003	260	Plant filing fee	
1004	750	2004	375	Reissue filing	
1005	160	2005	80	Provisional filing fee	80.00
SUBTOTAL (1)					(\$)

2. EXTRA CLAIM FEES FOR UTILITY AND

		Extra Claims		Fee from below		Fee Paid
Total Claims	<input type="text"/>	-20** =	<input type="text" value="0"/>	X	<input type="text"/>	<input type="text" value="0.00"/>
Independent Claims	<input type="text"/>	-3** =	<input type="text" value="0"/>	X	<input type="text"/>	<input type="text" value="0.00"/>
Multiple Dependent						

Large Entity		Small Entity		Fee Description	Fee Paid
Fee Code	Fee (\$)	Fee Code	Fee (\$)		
1202	18	2202	9	Claims in excess of 20	
1201	84	2201	42	Independent claims in excess of 3	
1203	280	2203	140	Multiple dependent claim, if not paid	
1204	84	2204	42	** Reissue independent claims over original patent	
1205	18	2205	9	** Reissue claims in excess of 20 and over original patent	

SUBTOTAL (2) (\$) \$0.00

**or number previously paid, if greater; For Reissues, see above

FEE CALCULATION (continued)

Large Entity		Small Entity		Fee Description	Fee Paid
Fee Code	Fee (\$)	Fee Code	Fee (\$)		
1051	130	2051	65	Surcharge - late filing fee or oath	
1052	50	2052	25	Surcharge - late provisional filing fee or cover sheet	
1053	130	1053	130	Non - English specification	
1812	2,520	1812	2,520	For filing a request for ex parte reexamination	
1804	920*	1804	920*	Requesting publication of SIR prior to Examiner action	
1805	1,840*	1805	1,840*	Requesting publication of SIR after Examiner action	
1251	110	2251	55	Extension for reply within first month	
1252	410	2252	205	Extension for reply within second month	
1253	930	2253	465	Extension for reply within third month	
1254	1,450	2254	725	Extension for reply within fourth month	
1255	1,970	2255	985	Extension for reply within fifth month	
1401	320	2401	160	Notice of Appeal	
1402	320	2402	160	Filing a brief in support of an appeal	
1403	280	2403	140	Request for oral hearing	
1451	1,510	1451	1,510	Petition to institute a public use proceeding	
1452	110	2452	55	Petition to revive - unavoidable	
1453	1,300	2453	650	Petition to revive - unintentional	
1501	1,300	2501	650	Utility issue fee (or reissue)	
1502	470	2502	235	Design issue fee	
1503	630	2503	315	Plant issue fee	
1460	130	1460	130	Petitions to the Commissioner	
1807	50	1807	50	Processing fee under 37 CFR § 1.17(q)	
1806	180	1806	180	Submission of Information Disclosure Statement	
8021	40	8021	40	Recording each patent assignment per property (times number of properties)	
1809	750	2809	375	Filing a submission after final rejection (37 CFR § 1.129(a))	
1810	750	2810	375	For each additional invention to be examined (37 CFR § 1.129(b))	
1801	750	2801	375	Request for Continued Examination (RCE)	
1802	900	1802	900	Request for expedited examination of a design application	

Other fee (specify)

*Reduced by Basic Filing Fee Paid

SUBTOTAL (3)

(\$)

SUBMITTED BY

Name (Print/Type)

Michael D. Schwartz

Signature

Registration No.
(Attorney/Agent)

44,326

Complete (if applicable)

Telephone

260-424-8000

Date

March 21, 2003

WARNING: Information on this form may become public. Credit card information should not be included on this form. Provide credit card information and authorization on

This collection of information is required by 37 CFR 1.17 and 1.27. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 12 minutes to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, DC 20231.

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

60456353 032103

CERTIFICATE OF MAILING BY "EXPRESS MAIL" (37 CFR 1.10)

Applicant(s): Peter James Osborne

Docket No.

ENB0002

Serial No.

Filing Date

Examiner

Group Art Unit

Invention: AN ADMINISTRATIVE SYSTEM

I hereby certify that the following correspondence:

PROVISIONAL PATENT APPLICATION

(Identify type of correspondence)

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 in an envelope addressed to: The Assistant Commissioner for Patents, Washington, D.C. 20231 on

MARCH 21, 2003

(Date)

MICHELLE L. DAVIS

(Typed or Printed Name of Person Mailing Correspondence)

Michelle L Davis

(Signature of Person Mailing Correspondence)

EL 905876377 US

("Express Mail" Mailing Label Number)

Note: Each paper must have its own certificate of mailing.

INVENTOR INFORMATION

60456263 232103

Inventor One Given Name:: Peter J
Family Name:: Osborne
Postal Address Line One:: 31 Sullivan Road
City:: Andrews
State or Province:: Qld
Country:: Australia
Postal or Zip Code:: 4220
City of Residence:: Andrews
State or Province of Residence:: Qld
Country of Residence:: Australia
Citizenship Country:: AU

CORRESPONDENCE INFORMATION

Correspondence Customer Number:: 00832
Fax One:: 260-460-1700
Electronic Mail One:: aniewyk@bakerd.com

APPLICATION INFORMATION

Title Line One:: AN ADMINISTRATIVE SYSTEM
Total Drawing Sheets:: 30
Formal Drawings?: No
Application Type:: Provisional
Docket Number:: ENB0002
Secrecy Order in Parent Appl.?: No

REPRESENTATIVE INFORMATION

Representative Customer Number:: 832
Registration Number One:: 24871
Registration Number Two:: 26280
Registration Number Three:: 40122
Registration Number Four:: 40181
Registration Number Five:: 44326
Registration Number Six:: 46644
Registration Number Seven:: 48230
Registration Number Eight:: 48238
Registration Number Nine:: 33687
Registration Number Ten:: 47116
Registration Number Eleven:: 47679
Registration Number Twelve:: 32230
Registration Number Thirteen:: 32543
Registration Number Fourteen:: 39679
Registration Number Fifteen:: 41358
Registration Number Sixteen:: 48696
Registration Number Seventeen:: 53039

Registration Number Eightteen:: 45547

604-54863 .032103

Source:: PrintEFS Version 1.0.1

An Administrative System

FIELD OF THE INVENTION

This invention relates to an administrative system. More particularly, this invention relates to a method and an apparatus for administering an organisation.

BACKGROUND OF THE INVENTION

- 10 Administration of organisations having multi-departmental workplaces has always been a highly specialized task, having aspects such as inventory control, personnel management, quality control and other features.

In some organisations, a deficiency in administration can have dangerous results. An example of such a workplace is a hospital. For example, a loss of control over cleaning procedures can lead to septicaemia and possible death of patients. This is an extreme example. However, in many other workplaces control of inventory and quality are extremely important.

- 20 At present, in organisations having a number of different locations and departments, different control procedures are often applied to separate yet similar departments. This can result in a breakdown of efficient operation. One of the reasons for this is that the functioning of each department becomes dependent on the skills of a particular manager. This can lead to inconsistency and duplication, especially where the organisation has similar workplaces, such as hospitals, positioned at different locations.

In this specification, particular attention is directed to the administration of hospitals.

- 30 It will, however, be appreciated that the invention can readily be applied to other organisations that have similar administrative requirements.

In hospitals, a number of risks require management. These include:

- i. Malfunction or breakdown of surgical instruments.

- ii. Breakdown in sterilization process management.
- iii. Cross contamination between surgical instruments.
- iv. Tracing and isolating potential sources of infection.
- v. Management of diseases such as CJD, VRE, AIDS etc.
- vi. Patient to patient infection outbreaks.
- vii. Access to reliable historical information relating to elements of particular events.
- viii. Historical information relating to sterile goods, consumables and pharmaceuticals.
- 10 ix. Prosthetic implant administration and batch tracking requirements.
- x. Profitability of particular surgical procedures.

It will be appreciated that efficient procedural management is extremely difficult, if not impossible, to achieve if each department or each hospital is subjected to discrete management techniques. Applicant submits that consistent procedures in each department or hospital are essential for the reduction of risk.

20 Applicant has conceived this invention to provide a means whereby activities and use of inventory in such organisations can be recorded. Furthermore, the invention provides a means whereby control of such activities and use of inventory is facilitated to achieve consistency across an entire organisation.

In order to achieve these advantages, the invention provides a means whereby data can readily be obtained from the various layers of a typical hierarchical structure. This is critical in facilitating managerial control over various activities carried out at the different levels.

30 An important form of data to extract would be that relating to the profitability of individual activities. This, together with other data obtained would allow the micro-management of various activities in order to achieve the maximum profit from such activities.

At present, management of hospitals often involves over-rationalization in an attempt to address perceived problems. For example in a process that involves a large number of steps, it is difficult to determine which of the steps is leading to inefficiency in the process as a whole. In an attempt to address this inefficiency, management must often rely on anecdotal reports and instinct to make decisions. As a result, management decisions are often not based on an accurate knowledge of a particular process in a hospital. This invention provides a means for making detailed activity data available to hospital management, so that effective and cost-efficient decisions can be made.

10

DEFINITIONS

In this specification, the following words are to be understood as having the meanings as set out below:

"A healthcare organisation" – Any form of structured arrangement that includes personnel and equipment that are combined to provide healthcare. For example, a public healthcare organisation or a healthcare organisation that administers a number of hospitals, or even a single hospital is covered by this phrase.

20

"Workplace" – A location under the control of a healthcare organisation where some form of work is carried out. For example a hospital, a department in a hospital, a division in a department, a section of a division or a unit where only one form of work is carried out can all fall under this definition.

"Workplace activities" – Various activities that are carried out in a workplace, such as X-ray procedures, sterilisation procedures or administrative procedures.

30

"Workplace elements" – Elements that can be associated with particular activities carried out at a workplace. These include such elements as surgical instruments, sterile items, sterilisers, medical personnel, etc. The definition extends to groups of elements associated with a particular activity.

"Computer" – Any computational device such as a personal computer (PC), mainframe, or the like.

SUMMARY OF THE INVENTION

According to a first aspect of the invention, there is provided a method of administering a healthcare organisation, the method including the steps of:

- generating element data representing workplace elements;
- 10 recording activity data relating to respective workplace activities associated with the workplace elements;
- associating activity codes with the activity data;
- retrieving the activity data and the element data with the activity codes; and
- applying predetermined algorithms to the element data and the activity data to generate reports relating to workplace activities associated with the workplace elements.

According to a second aspect of the invention, there is provided an apparatus for administering an organisation, the apparatus including

- 20 a data storage device that contains element data relating to a workplace element;
- a recordal device that is configured to record use of the workplace element to generate activity data associated with the workplace element; and
- at least one computer that is connected to the data storage device and the recordal device and that is programmed to generate activity codes associated with the activity data and to store said activity data and the associated activity codes in the data storage device, the, or each computer being further programmed to retrieve said activity data using the activity codes and to apply predetermined algorithms to the element data and the activity data to generate report data.

- 30 The apparatus may include a primary computer and one or more secondary computers connected to the primary computer with a suitable network. Thus, the secondary computer may be positioned remotely from the primary computer to communicate the activity data to the primary computer. The primary computer may

then be programmed to generate the activity codes and to store the activity data and the associated activity codes in the data storage device. The primary computer may then also be programmed to apply said predetermined algorithms to the element data and the activity data.

10 The method may include the step of building a registration database containing data relating to workplace elements. In particular, the registration database may include codes that represent the workplace elements. The codes may be in the form of datastrings. The primary or the secondary computer may be programmed to generate readable codes that represent the datastrings. The readable codes may be applied to the various workplace elements to be read by the recordal device. In a preferred embodiment, the readable codes may be in the form of barcodes and the recordal device may be in the form of one or more barcode readers or scanners.

20 The apparatus may include a data storage device connected to the primary computer. The registration database may be stored in the data storage device. The data storage device may also store an administrative database in which data relating to all aspects of the organisation are stored. For example, employee details, inventory details, consumables details etc, may be stored in the administrative database.

30 The real-time use of the workplace elements may be recorded to generate the activity data, which is then communicated to a primary computer. It will be appreciated that this may be carried out by recording the relevant barcodes when the workplace elements to which they are applied are used. This results in the generation of datastrings. The primary computer may be programmed to generate the activity codes in the form of datastrings that are associated with each set of datastrings generated when a workplace activity is carried out. The primary computer may be programmed to perform a look up operation, using the activity codes, in the registration database to determine the source of the code represented by the datastring. The primary computer may then be programmed to retrieve the relevant data from the administrative database in order to apply said predetermined algorithms to that data.

10 Said predetermined algorithms may be any number of algorithms that may be useful for facilitating administration of an organisation. For example, if the workplace element is an employee, the computer may be programmed to retrieve an hourly rate and duration of an activity to calculate the cost of that employee. If the workplace element is an item of inventory, the computer may be programmed to retrieve a purchase price and serial number and to perform an amortization calculation on the purchase price. It will be appreciated that it would be impractical to mention all the administrative algorithms that could be carried out. In short, however, it will be appreciated that administrative algorithms can readily be generated for the calculation of profitability of selected activities.

20 The method may include the step of generating readable group codes that represent groups of workplace elements associated with a particular procedure. Thus, the method may include the step of reading a group code when carrying out a related procedure so that use of the workplace elements associated with that particular code is automatically recorded. It will be appreciated that this obviates the need to read a code applied to each workplace element every time a particular procedure is carried out.

The apparatus is particularly suited for the administration of a healthcare organisation. Thus, the primary computer may be positioned at an administrative centre and any number of secondary computers may be positioned at various hospitals under the care of the administrative centre. The primary computer and the secondary computers may be in communication with each other via a suitable network, such as an intranet or the World Wide Web (WWW).

30 According to a third aspect of the invention, there is provided a method of tracking workplace inventory, the method including the steps of:

- generating element data relating to a predetermined set of workplace elements associated with a predetermined workplace procedure;
- applying a readable code to the data;

reading the code when said predetermined workplace procedure is carried out to generate usage data relating to the set of workplace elements; and applying predetermined algorithms to the element data and the usage data to generate record data.

The invention is now described, by way of example, with reference to the accompanying drawings. The following description is for illustrative purposes and is not intended to reduce the scope of the preceding paragraphs.

10 BRIEF DESCRIPTION OF THE DRAWINGS

In the drawings:

Figure 1 shows a schematic layout of an apparatus for administering a healthcare organisation.

Figure 2 shows, schematically, a database structure for the generation of barcodes to be used with the apparatus of Figure 1.

20 Figure 3 shows a flowchart indicating the input of data relating to the preparation for a procedure into a computer of the apparatus of Figure 1.

Figure 4 shows a flowchart indicating the input of data for a fixed procedure to be carried out on a patient into the computer of the apparatus of Figure 1.

Figure 5 shows a flowchart indicating the input of data for a sterilization process into the computer of the apparatus of Figure 1.

30r Figure 6 shows a flowchart indicating the input of data for a further fixed procedure into the computer of the apparatus of Figure 1.

Figure 7 shows a flowchart indicating the input of data for a flexible theatre procedure into the computer of the apparatus of Figure 1.

Figure 8 shows, schematically, a process for a scanning procedure to be undertaken in a theatre of a hospital.

Figure 9 shows a flowchart indicating a process applied to data generated by the scanning procedure in Figure 8.

10 Figure 10 shows a data table generated by the process shown in Figure 9 and a flowchart broadly indicating a process applied to the data table in order to achieve a series of saved tables of data.

Figure 11 shows a flowchart for a program that writes the data in the table of Figure 10 to save tables.

Figure 12 shows a save table of patient details generated by the program of Figure 11.

20 Figure 13 shows a save table of operation details generated by the program of Figure 11.

Figure 14 shows a save table of assets generated by the program of Figure 11.

Figure 15 shows a save table of process trays generated by the program of Figure 11.

Figure 16 shows a save table of products generated by the program of Figure 11.

Figure 17 shows a save table of prosthetics generated by the program of Figure 11.

30 Figure 18 shows a save table of staff members generated by the program of Figure 12.

Figure 19 shows a flow chart of a program applied to the save tables of Figures 12 to 18 and a save table of totals generated by the program and written from the tables of Figures 12 to 18.

Figure 20 shows a pair of barcode tabs generated from the database of Figure 2 to be applied to a tray of sterilized surgical instruments.

Figure 21 shows an interface for the input of data relating to surgical instruments to the computer of Figure 1.

10

Figure 22 shows an interface for the input of data for the creation of a staff barcode to the database structure of Figure 2.

Figure 23 shows an interface for the input of data relating to a steriliser to the database structure of Figure 2.

Figure 24 shows an interface for the input of data relating to a prosthesis to the database structure of Figure 2.

20 Figure 25 shows an interface for the input of data relating to an area name and department associated with a procedure to the database structure of Figure 2.

Figure 26 shows an interface for the input and display of data relating to an operation procedure code.

Figure 27 shows an interface for the input and display of data relating to a patient.

Figure 28 shows an interface for the input and display of data relating to assets.

30 Figure 29 shows an interface for the input and display of data relating to a product.

Figure 30 shows an interface for the input and display of data relating to a hospital.

Figure 31 shows an interface for the input and display of data relating to a department.

Figure 32 shows an interface for allowing an operator to set up the apparatus of Figure 1.

Figure 33 shows, schematically, a user interface of a scanner used to input data to a delimited text file.

- 10 Figure 34 shows a user interface for the input of data relating to preparation for a procedure to the computer of Figure 1.

Figure 35 shows a flowchart of a procedure used to process group barcodes.

Figure 36 shows a group barcode and the elements associated with that group barcode.

Figure 37 shows a flowchart of a sterilisation procedure carried out in accordance with a method of the invention.

20

Figure 38 shows a printout of a table of components of a particular surgical tray.

Figure 39 shows a printout of a patient's theatre records generated by the apparatus of Figure 1.

Figure 40 shows a flowchart of a hierarchical structure that indicates an application of the invention.

DETAILED DESCRIPTION OF THE INVENTION

30

In Figure 1, reference numeral 10 generally indicates an apparatus, in accordance with the invention, for the administration of a healthcare organisation.

The apparatus 10 includes a primary computer 12. The primary computer 12 is connected to a network 14. The network 14 can be in the form of the World Wide Web (WWW) or in the form of a conventional intranet, depending on the application of the apparatus 10.

The apparatus 10 includes a number of secondary computers, one of which is shown at 20, for the sake of convenience. The secondary computer 20 is also connected to the network 14.

10 Still further, the apparatus 10 includes a number of scanning stations, three of which are shown at 16, for the sake of convenience. The scanning stations 16 include scanners 18 that are connected to an intranet 22, which, in turn, is connected to the secondary computer 20.

It is to be appreciated that the secondary computer 20 and the scanning stations 16 can be at one workplace location and the primary computer 12 can be at another workplace location. Thus, the secondary computer 20 and the scanning stations 16 can be at a particular hospital, while the primary computer 12 can be at an administrative centre. Thus, as will be seen below, the apparatus 10 provides a
20 means whereby administrative control of a number of hospitals at a single administrative centre can be achieved.

Applicant submits that the schematic representation shown in Figure 1 can be shown in a number of different ways, while still achieving the goal of central control, and not departing from the scope of the invention.

The scanners 18 are programmable scanners of the type which include a display and a keyboard to facilitate the reading and input of data by an operator. The manner in which the scanners 18 are programmed is described in greater detail
30 below.

The secondary computer 20 is configured to receive datastrings generated by the scanners 18 and to communicate these datastrings to the primary computer 12.

The secondary computer 20 is also configured to permit an operator to enter data relating to workplace elements and to communicate this data to the primary computer 12, to be stored in a data storage device 24 connected to the computer 12.

The data storage device 24 carries a database 26. The database 26 is divided into a registration database 28, an administrative database 30 and a record database 29.

10 The administrative database 30 contains data relating to all workplace elements of hospitals under the administrative control of the primary computer 12.

The administrative database 30 is divided into a consumables directory 32, a patient directory 34, an inventory directory 36, a staff directory 38, and a medical professionals directory 40. It will readily be appreciated that any number of further directories could be provided, depending on the application of the apparatus 10.

20 The data in the administrative database 30 is conventional in the sense that it includes data that would usually be entered in an administrative control system. For example, the consumables directory 32 includes serial numbers, cost and date of purchase of the consumables. The patient directory 34 includes such details as name, date of birth, medical aid organization, etc. The inventory directory 36 includes inventory description, date of purchase, purchase price, usage counts, amortizing amounts, allocation costs, etc. The staff directory 38 includes the staff number, the hourly rate, the staff member names, the staff member titles etc. The medical professionals directory 40 includes the names, the fees, and the positions of the medical professionals.

30 The registration database 28 contains codes that are associated with the various elements of the administrative database 30. As will be seen later, the scanners 18 are used to generate datastrings that are then used by the primary computer 12 to perform a look-up operation in the registration database 28 to identify the workplace elements associated with the datastrings.

Thus, the registration database 28 includes a medical professional code directory 46, a staff code directory 48, a patient code directory 50, an asset code directory 52, a product code directory 54, a group code directory 56 (described in greater detail below), and an activity code directory 57 (also described in greater detail below). Again, depending on the application of the apparatus 10, any number of further code directories can be provided.

In Figure 2, reference numeral 60 generally indicates a possible table structure of the registration database 28.

10

The table structure 60 is divided into an asset table 62, an instruments table 64, a stores table 66 and a miscellaneous table 68.

The asset table 62 includes datastrings relating to equipment. The datastrings have identifiers in the form of prefixes, in this case, the prefix "AS". The prefix ensures that the data relating to the equipment is stored in the correct location in the registration database 28 and in other tables described below.

20

The instrument table 64 includes datastrings relating to trays of equipment. It will be appreciated that each tray is associated with a predetermined set of instruments. Thus, as set out in more detail below, each tray has a barcode applied to it that it is associated with a particular set of instruments and represents one of the datastrings. The datastrings have an identifier or prefix, in this case "TY".

30

The stores table 66 includes datastrings relating to consumables stored by the hospital. It will be appreciated that most consumables, especially those sold for use in the medical industry, are labelled with a barcode which represents a serial number. For convenience, these numbers can be stored in the table 66. It follows that these numbers do not necessarily have a prefix.

The miscellaneous table 68 includes datastrings relating to other workplace elements. In particular, staff datastrings, with a prefix "S", sterilizer datastrings, with a prefix "ST", prosthetics datastrings, with a prefix "PR", preparation area datastrings,

with a prefix "WB", procedure datastrings, with a prefix "OP", theatre datastrings, with a prefix "TH", patient datastrings, with no prefix, sterile item datastrings, with a prefix "TY" and group datastrings, with the prefix "GRP", described below, are stored in the table 76.

In Figure 3, there is shown a flowchart 78 that indicates a data entry process that is used to generate datastrings associated with a particular preparation area. In particular, the flow chart 78 indicates a possible configuration of the programmable scanner 18 that can be used with the method of the invention.

10 Initially, a barcode that is suitably positioned is scanned. If a prefix "WB", which indicates that the barcode is associated with a preparation area, is recorded, the scanner 18 displays an instruction to scan barcodes carried by the staff members. Further, the scanner 18 communicates a preparation area datastring to the computer 12 via the network 14 and the computer 20. This is described in greater detail below.

If no prefix "WB" is recorded, the scanner 18 is programmed to return to a start condition, which is displayed on the interface of the scanner 18.

20 If, when scanning the staff member barcode, the scanner 18 records an "S" prefix, then the scanner 18 displays an instruction to scan barcodes of sterile items used in the preparation area. Further, the scanner 18 communicates details of the staff member datastring to the computer 12 via the network 14 and the computer 20.

If no prefix "S" is recorded, the scanner 18 is programmed to return to a condition for scanning staff member barcodes, which is displayed by the scanner 18.

30 If, when the operator scans the barcodes of the sterile items, the scanner 18 does not record a prefix "TY", the scanner 18 is programmed to return to a condition for scanning sterile item barcodes, which is displayed by the scanner 18.

If, when scanning the sterile item barcodes, the scanner 18 records the prefix "TY", the computer 20 queries the database 26, via the computer 12, to check if that

particular sterile item has been recorded. If the query response is positive, the computer 20 instructs the scanner 18 to return to the condition for scanning sterile items. If the query response is negative, the computer 20 communicates details of the sterile item datastring to the computer 12, via the network 14.

It will be appreciated that the above mechanism directs an operator to continue scanning until details of all the workplace elements have been communicated to the computer 12.

- 10 In Figure 4, reference numeral 80 generally indicates a flowchart that indicates the manner in which data relating to a fixed procedure carried out in a particular theatre can be retrieved with the scanner 18 in conjunction with the computer 20.

Initially, an operator scans an area barcode positioned in a suitable location in a particular workplace area, with the scanner 18.

- 20 The scanner 18 is programmed so that, if the scanner 18 records a prefix "TH" the scanner 18 displays an instruction to scan a patient barcode. Further, the scanner communicates a datastring representing the theatre barcode to the computer 12 via the computer 20 and the network 14.

If the scanner 18 does not record the prefix "TH" in the theatre datastring, then the scanner 18 is programmed to return to a start condition, which is indicated by the scanner 18.

- 30 As set out earlier, the datastrings relating to patient codes do not have a prefix. It follows that the absence of a prefix indicates that the datastring represents a patient code. Thus, if the scanner 18 records either the prefixes: "TY", "TH", or "WB", when the operator scans the patient barcode, then the scanner 18 returns to a condition for scanning a patient barcode.

Alternatively, the scanner 18 displays an instruction to the operator to scan barcodes of sterile items. Further, the scanner 18 communicates the patient datastring to the computer 12, via the computer 20 and the network 14.

The scanner 18 is programmed so that if the scanner 18 records a prefix "TY" when a sterile item barcode is scanned, the scanner 18 communicates the sterile item datastring to the computer 12, via the computer 20 and the network 14. The operator can thus continue until all the sterile item barcodes are scanned.

- 10 If the scanner 18 does not record a prefix "TY", then the scanner 18 returns to a condition in which it is configured to scan sterile items, which is displayed by the scanner 18.

In Figure 5, reference numeral 82 generally indicates a flowchart indicating the manner in which the scanner 18 can be used to retrieve datastrings which are then used to record details of a sterilisation procedure.

Initially, a steriliser barcode is scanned. This barcode can be applied to any convenient location on the steriliser.

20

The scanner 18 is programmed so that if a prefix "ST" is recorded, the scanner 18 displays an instruction to the operator to scan a cycle number of the steriliser. Further, the scanner 18 communicates a datastring that represents the steriliser to the computer 12, via the computer 20 and the network 14.

If the scanner 18 does not record the prefix "ST", the scanner 18 is programmed to return to the start condition, which is indicated by the scanner 18.

- 30 The cycle number is not associated with any prefix. Thus, if the scanner 18 does not record any prefix when scanning the cycle number, the scanner is programmed to display an instruction to the operator to scan a barcode of a staff member operating the steriliser. Further, the scanner communicates the cycle number to the computer 12 via the computer 20 and the network 14.

If the scanner 18 does record a prefix, the scanner 18 is programmed to return to the condition in which the cycle number can be scanned, which is displayed by the scanner 18.

When scanning the staff member barcode, if the scanner 18 records the prefix "S", the scanner displays an instruction to scan a barcode relating to the item or items to be sterilised. Further, the scanner communicates a datastring representing the staff member barcode to the computer 12, via the computer 20 and the network 14.

10

If the scanner 18 does not record the prefix "S" the scanner 18 is programmed to return to a condition for scanning the staff barcode, which is displayed to the operator.

When scanning the sterile item barcode, if the scanner 18 records the prefix "TY", the computer 20 queries, via the network 14 and the computer 12, whether there is a duplicate record of that particular item. If the query returns a positive, the scanner 18 is programmed to return to the condition in which the scanner 18 is ready to scan an item barcode. If the query returns a negative, the scanner 18 permits the operator to continue to scan other item barcodes.

20

In Figure 6, reference numeral 84 generally indicates a flowchart for indicating the manner in which the scanner 18 can be used, with the computer 20, to record details of a fixed procedure carried out in a hospital.

Initially, an area barcode is scanned in the area in which the fixed procedure is to take place.

If the scanner 18 records a prefix "WB", the scanner is programmed to display an instruction to scan barcodes of staff members involved in the procedure. Further, the scanner 18 communicates a datastring representing the preparation area to the computer 12, via the computer 20 and the network 14.

30

If the scanner 18 does not record the prefix "WB", the scanner 18 is programmed to return to a start condition, which is indicated to the operator.

The scanner 18 is programmed so that, when scanning the staff barcode, if the scanner 18 records a prefix "S" on the staff barcode, the scanner 18 displays an instruction to begin scanning barcodes of the items to be used in the area. Further, the scanner 18 communicates a datastring representing the staff member to the computer 12 via the computer 20 and the network 14.

- 10 If the scanner does not record the prefix "S" on the staff barcode, the scanner 18 is programmed to return to a condition in which it is ready to scan the staff member barcode, which is displayed to the operator.

When scanning the item barcodes, if the scanner 18 records a prefix "TY", the scanner 18 displays this to the operator and permits the operator to scan further items. Further, the scanner 18 communicates a datastring representing the item barcode to the computer 12 via the computer 20 and the network 14.

- 20 If the scanner 18 does not record a prefix "TY", then the scanner 18 returns to the condition in which the scanner 18 is ready to record item barcodes, which is displayed to the operator.

In Figure 7, reference numeral 86 generally indicates a flowchart indicating the manner in which the scanner 18 can be used, together with the computer 20, to record the details of a flexible theatre procedure, i.e. a procedure in a particular theatre, which may differ from time to time.

Initially, the scanner 18 is programmed to permit an operator to select either a theatre scan process, or a scan items process or a scan patient process.

30

The scanner 18 is programmed so that, if the operator selects the theatre scan process, the scanner 18 records, as a first step, theatre barcodes only. Thus, if the scanner 18 records the prefix "TH", the scanner 18 communicates a datastring

representing the theatre to the computer 12, via the computer 20 and the network 14. Further, the scanner 18 displays an end of the theatre scan process to the operator and then prompts the operator to select either a scan items process or a scan patient process.

The scanner 18 is programmed so that, if the operator selects the scan items process, the scanner records, as a first step, item barcodes only. Thus, if the scanner records the prefix "TY", the scanner communicates a datastring representing the item to the computer 12 via the computer 20 and the network 14.

10 Further, the scanner 18 displays an instruction to the operator to scan the next item. The operator can thus continue until all the items have been scanned.

If the scanner 18 does not record the prefix "TY", the scanner 18 returns to a condition in which the scanner 18 is ready to begin scanning items, which is indicated to the operator.

Once all the items have been scanned, the scanner 18 is programmed to prompt the operator to begin scanning the patient barcodes.

20 The scanner 18 is programmed so that if the scanner 18 does not record a prefix "TY" or "TH", the scanner 18 communicates a datastring representing the patient barcode to the computer 12 via the computer 20 and the network 14. Further, the scanner 18 displays a message that the process is ended.

If the scanner 18 does record a prefix "TY" or "TH", the scanner 18 returns to a scan patient condition, which is displayed to the operator.

30 The flowcharts 78 to 86 show a few of a number of ways in which the scanner 18 can be programmed to direct certain steps for the collection of information. It will readily be appreciated a large number of variances in the programs can be achieved to collect information relating to other aspects of medical practice.

In particular, it should be appreciated that the scanner 18 is programmed to facilitate the collection of information, such that the information is collected in an orderly manner and, in particular, such that the information is not duplicated.

In Figure 8, reference numeral 88 generally indicates a flowchart that sets out the manner in which the datastrings recorded by the scanner 18, as described above, are imported into an intermediate data table, shown as 90 in Figure 9, during one particular workplace activity.

- 10 It will be appreciated that it is important that the information collected by the scanning process mentioned above be readily available for the generation of reports. In order to achieve this, the primary computer 12 is programmed to generate an activity code that is associated with each set of datastrings generated by the scanner 18 when the scanner 18 records the information at a particular activity. The activity codes are then stored in the activity code directory mentioned above. It will thus be appreciated that at any time, the directory 57 contains a set of activity codes that are associated with respective activities. It follows that the primary computer can be programmed to retrieve sets of information associated with particular activity codes. Importantly, the activity codes are never duplicated. Thus, each code is associated with a particular activity that would have taken place in the workplace. For example, if the particular activity was an operation, the activity code can serve to link all the elements of that activity. The importance of this will be apparent when the save tables are described below.
- 20

Reference numeral 92 shows a table containing data recorded as a result of the scanning operations described above. The table 92 is simply a description of the datastrings generated by the scanner 18 and is self-explanatory.

- 30 The computer 12 is programmed to write the datastrings into a delimited text file represented at 94. As is known, such files store data such that each entry or, in this case, datastring, is separated by a character (which is a comma in this case) and each field is separated by a line separator. Each field can contain any combination of datastrings depending on requirements.

As can be seen in the delimited text file 94, each line of datastrings includes the datastring "1" which is the activity code that represents the activity that is recorded by the scanning process described above. In this particular example, as soon as the next activity is carried out, an activity code "2" is generated and linked with all the elements of that activity.

10 It is important to note that the activity codes are unique and independent. It follows that activity code "2" could represent another activity that is completely unrelated to the activity associated with code "1". This allows the activity codes to be used as an effective data mining parameter. For example, each patient in the hospital will be associated with one or more unique activity codes. This permits the computer 12 to be programmed to retrieve all data that may be associated with that particular patient, by using simple queries. Furthermore, each activity code provides a unique way of retrieving costs and thus profit/loss associated with each activity. For example, all the activities codes associated with a particular patient provide a link to all elements that were associated with each activity. Each element has a certain cost associated with that element. Thus, the costs of each element associated with a particular activity can be retrieved. This allows the computer 12 to be programmed to generate profit/loss data associated with each element of a particular activity. Thus, an administrator can readily identify those aspects of a particular activity which are inefficient and therefore a cost burden.

20 The computer 12 is programmed to write the datastrings in the file 94 to the intermediate imported data table 90, shown in Figure 9.

30 The intermediate imported data table 90 consists of five columns 96. A first column 96.1 contains datastrings relating to a particular area in a hospital. A second column 96.2 contains datastrings relating to the identification of a patient that is the subject of the workplace activity. A third column 96.3 contains datastrings relating to the identification of an operation to be carried out on the patient. A fourth column 96.4 contains datastrings relating to general data. A fifth column 96.5 contains datastrings relating to dates and times.

In this particular workplace activity, there is a single location, TH1 (theatre no. 1), a single patient (i.d. 12345), no operation (NULL) a number of general items, a start time of 08:22:00 on 31 January 2003 and a finish time of 08:45:23 on 31 January 2003.

The datastrings in the fourth column 96.4 relate to, from top to bottom, a prosthetic (PR1), a sterile item (TY12346), a further sterile item (TY12345), Group 6 (GRP6) (which is described below), a start time (OPSTART) and a finish time (OPFINISH).

10

As can be seen, the table 90 is organized into rows 98 that associate each datastring in the general column 96.4 with datastrings in the other column. Thus, a first row 98.1 associates theatre no. 1, patient i.d. 12345, no operation, prosthetic "PR1" and a start time of 08:22:00 on 31 January 2003, and so on.

In each case, it will be appreciated that the choice of symbols for the datastrings is largely random and, provided consistency is maintained, any symbol or group of symbols could be selected.

20 Also in Figure 9, reference numeral 100 generally indicates a flowchart of a manner in which the computer 12 is programmed to process the datastrings in the table 90. In particular, the flowchart 100 indicates the manner in which the group datastring in column 96.4 of the table 90 is separated into its individual datastrings which, together with the remaining datastrings of the table 90, are written to an imported data table 102 shown in Figure 10.

30 Thus, the program is initiated by the query as to whether a prefix "GRP" exists in any of the datastrings in column 96.4. Again, this could be any string of symbols or characters and "GRP" is selected for the sake of convenience and recognition. If the query returns a positive, then the program performs a look up operation on the directory of group codes 56 and returns a particular group of codes, in this case, group code 6 ("GRP6"). If the query returns a negative, the program continues with the writing of the table 90 to the table 102.

In returning group 6, the program selects all codes associated with a particular group code (in this case "6"). The relevance of the group codes is described further below.

The program appends the datastrings relating to group code 6 to a holding table, which is labelled "tblGroupsHold". The program loops through these datastrings to determine quantities of each of the datastrings in the particular group.

The program then writes the resultant datastrings to the imported data table 102.

As can be seen in Figure 10, the table 102 is similar to the table 90, with the difference being that the "GRP6" datastring has been expanded into its various element codes. In this case, those codes represent an operation "OP1", which is associated with the prosthetic code "PR1", an asset code "AS3", a consumable code "57", a staff member code "S6", a further asset code "AS4" and a further consumable code "143". As set out in the table 102, these elements can readily be associated with a particular location, a patient, an operation and a date and time.

In Figure 10, reference numeral 104 generally indicates, broadly, a flowchart of a program used to process the imported data table 102, to generate reports.

In a first stage, the program performs look up operations on the table 102 and adjusts counts and amounts in the database 26. The program then writes the information from the table 102 to various save tables that are described below. Finally, the program is configured to generate reports from the save tables and to write the reports to the record database 29.

In Figure 11, reference numeral 106 generally indicates a flowchart of a program used to process the theatre datastring, the patient datastring, the operation datastring and miscellaneous datastrings of the imported data table 102. Thus, a first module 108 of the flowchart 102 looks up the theatre datastring to retrieve "TH1 = Theatre 1" and writes the result to relevant save tables. A second module 110 looks up the patient datastring to retrieve "12345 = Patient Name" and writes the result to a

save table 112 in Figure 12. A third module 114 looks up the operation datastring, obtains medical fund rebate details and indirect costs from the administrative database 30 and writes the operation datastring and the further data to a save table 116 shown in Figure 13.

Also in Figure 11, reference numeral 118 generally indicates a fourth module of the flowchart for processing the data in the column 96.4.

10 The module begins by querying whether any datastring that is stored in the column 96.4 has a prefix "AS", which indicates that the string following the prefix relates to an asset.

If the query returns a positive, the program uses the datastring to look up that particular asset code from the asset code directory 52 in Figure 1. This returns the result "AS12345 = Anaesthetic M/C", for example. The program then adjusts a usage count and an amortization amount in the inventory directory 36 before moving to a subsequent step.

20 If the query returns a negative, the program jumps to the subsequent step. In this step, the program queries whether any datastring that appears in the column 96.4 of the table 102 has a prefix "S", which would indicate that the string following the prefix would relate to a staff member code.

If the query returns a positive, the program uses the datastring to look up that particular staff member code in the staff code directory 48 of Figure 1. As can be seen in Figure 11, this returns a result "S1=Staff Member 1". The program then retrieves the hourly rate, the title and the department of staff member 1 from the staff directory 38. The program then moves to a subsequent step.

30 If the program returns a negative, the program jumps to the subsequent step. In that step, the program queries whether any datastring that appears in the column 96.4 of the table 102 has a prefix "PR", which would indicate that the string following the prefix would relate to a prosthetic code.

If the query returns a positive, the program looks up that particular prosthetic code in the asset code directory 52 of Figure 1. As can be seen in Figure 11, this returns a result "PR1=Knee Bit". The program then retrieves the price and updates the patient number associated with the prosthetic PR1 in the inventory directory 36. The program then moves to a subsequent step.

10 If the query returns a negative, the program jumps to the subsequent step. In that step, the program queries whether any datastring that appears in the column 96.4 has a prefix "TY", which would indicate that the string following the prefix relates to a process tray code, which is a code representing a tray of surgical instruments as described below.

If the query returns a positive, the program looks up that particular process tray code in the table 76 and returns the result "TY12345 = Scissor", for example. The program then retrieves the process and allocation costs associated with that process tray from the directory 52.

20 If the query returns a negative, the program loops to a subsequent step. In this step, the program queries whether any datastring that appears in the column 96.4 is without a prefix.

If the query returns a positive, the program performs a look up operation on the product code directory 54 and returns the result "12345 = Basic Pack", for example. As set out above, products such as consumables do not have a prefix. The program then retrieves the price of that product and adjusts a stock number in the consumables directory 32.

30 If the query returns a negative, the program loops to a subsequent step. In that step, the program queries whether any datastring that appears in the column 96.4 is "OPSTART", which represents the date and time the procedure was started.

If the query returns a positive, the program performs a look up operation on the miscellaneous table 68 and returns the result "OPSTART=08:22:00, 31.01.03", for example.

If the query returns a negative, the program loops to a subsequent step. In this step, the program queries whether any datastring that appears in the column 96.4 is "OPFINISH", which represents the date and time the procedure was finished.

10 If the query returns a positive, the program performs a look up operation on the table 68 and returns the result "OPFINISH=08:45:23, 31.01.03", for example.

If the query returns a negative, the program writes the retrieved datastrings and other data to the save tables shown in Figures 12 to 19. It will readily be apparent that each of the save tables has a column labelled OpNumber. This column contains the activity codes described above. Thus, in each of the save tables, a particular activity code associates all elements in a particular row.

20 In Figure 12, reference numeral 112 indicates a save table in which patient details generated by the program described with reference to Figure 11 are saved. As can be seen in Figure 12, the save table 112 stores the activity code "1", the location, the patient code, general codes, a date and time, a first name, a surname and theatre details. Thus, in the save table 112, activity code "1" is associated with location "TH1", patient no. "12345", a start time of 31/01/03 – 08:22:00, a first name of the patient, a surname of the patient and theatre no. 1. In the same table, activity code "2" can be associated with a number of other elements completely unrelated to the elements associated with activity code "1".

30 In Figure 13, reference numeral 116 indicates a save table in which operation details generated by the program described above are saved. As can be seen in Figure 13, the save table 116 stores the activity code "1", an operation code, an operation name, rebate details and indirect cost details. These details are retrieved as a result of the program represented in Figure 11. As above, activity code "2" can be associated with unrelated elements in the same save table 116.

In Figure 14, reference numeral 128 indicates a save table in which asset details generated by the program represented in Figure 11 are shown. As can be seen in Figure 14, the save table 128 stores the activity code "1", the asset code, the asset name, the allocation cost and a number used for amortizing purposes.

In Figure 15, reference numeral 124 generally indicates a save table to which instrument details, in particular, details relating to trays associated with particular instruments are written by the program described with reference to Figure 11.

The table 124 stores, in rows, the activity code "1", a tray number, a tray name, a department, a cost of processing the trays and a cost of allocating the tray.

In Figure 16, reference numeral 126 generally indicates a save table to which product or consumable details are written by the program described with reference to Figure 11.

The table 126 stores, in rows, the activity code "1", a product number, a product name, a serial number of the product and a unit price of the product.

In Figure 17, reference numeral 122 generally indicates a save table to which prosthetic details are written by the program described with reference to Figure 11. The table 122 stores, in rows, the activity code "1", a barcode representing a prosthetic, a description of the prosthetic and a cost of the prosthetic.

In Figure 18, reference numeral 120 generally indicates a save table to which staff details are written by the program described with reference to Figure 11. The table 120 stores, in rows, an activity code "1", a staff code, a first name, a surname, a title, a department and a rate of pay of that particular staff member.

In Figure 19 there is shown a short flowchart 130 that represents a program for calculating staff costs. The program first calculates a duration of an operation from

the save table 112. Then the program calculates the staff cost using the duration value and the staff rate obtained from the save table 120.

10 The program uses the activity codes "1" and "2" to retrieve the relevant details from the save tables. It will be appreciated that any set of details can be extracted by using the activity codes. Applicant submits that an attempt to describe all possible programs would be tautologous. In short, Applicant submits that the program is capable of generating patient, staff and asset records by a simple application of the activity codes with suitable logarithmic programs to selected sets of save tables generated by the program described in Figure 11 using data recorded by the scanning process described above.

20 For example, in Figure 19, reference numeral 132 generally indicates a save table of a particular set of totals generated using the save tables generated by the program depicted in Figure 11. In particular, the save table 132 has rows divided into columns that set out, respectively, an operation number, a start time of the operation, a finish time of the operation, a duration of the operation, staff member details, instrument costs, prosthetic costs, asset costs, rebate amounts, I/C costs and consumable costs. All these factors are associated with a particular activity number, in this case, the activity numbers "1" and "2". This facilitates the retrieval of these amounts from the save tables.

It will readily be appreciated that suitable reports can be generated by extracting the relevant details from the save table 132.

30 In particular, it will be appreciated that the retrieval of various cost details is facilitated by the generation of the save tables with each row being associated with a particular activity code. By making a simple query, an operator is able to associate any element with a particular activity code. That activity code is then used to obtain details of all costs associated with that element, by making a further simple query. In this manner, records, such as those shown in Figure 40 can readily be generated.

In Figure 20, reference numeral 134 generally indicates a barcode label that is generated by the secondary computer 20. The label 134 is to be applied to a surgical tray and is generated subsequent to a sterilization process that is described in greater detail below.

10 The barcode label 134 has an adhesive backing which can be peeled away to allow the label 134 to be adhered to a surgical tray wrapper. The secondary computer 20 is programmed to generate a product identification name 210, a package/item name 212, a name 214 of the hospital to which the item belongs, a relevant department name 216, a storage location name 218, a number 220 of items in the package, a date 221 on which the package was created, a shelf life 222, a package barcode 224, a human readable component 226 of the barcode 224, and a duplicate barcode 228.

The package barcode 224 is separable from the duplicate barcode 226 with a perforation 228. Thus, the duplicate barcode 226 can be adhered to a patient record.

20 In Figure 21, reference numeral 136 generally indicates a graphic user interface (GUI) for displaying data relating to a particular instrument.

30 The GUI 136 includes fields 138 for displaying instrument details, department details associated with the instrument, purchase price, allocation cost, invoice number, warranty, service details, amortizing uses, date last serviced, service status and special instructions. Of importance is the fact that the program of the invention is configured to extract the data for the GUI from the inventory directory 36. Thus, an operator can enter a particular instrument code and the computer 12 is configured to perform a look up operation on the asset code directory to obtain an asset name and to extract details from the directory 36. In particular, the computer 12 is programmed to extract the data for the fields 138 from the save tables generated by the program described with reference to Figure 11.

In Figure 22, reference numeral 140 generally indicates a GUI that is used to create a barcode associated with a particular staff member. Thus, the GUI 140 includes

fields 142 which are configured to receive surname details, first name details, hospital staff number, title, hourly rate, area and issue date. This data is stored in the administrative database 30 and is associated with a particular barcode that represents an alphanumeric string with a prefix "S". The alphanumeric string is stored in the staff code directory 48 of Figure 1. Thus, when the scanner 18 reads the barcode, as set out in Figures 3 and 6, the computer 20 is programmed to query the alphanumeric string to determine if the prefix "S" is present. If so, the computer 20 communicates the positive result to the computer 12, which is programmed to query the staff code directory 48 in Figure 1 to extract the alphanumeric string that identifies the particular staff member. This permits the computer 12 to extract the data entered at the GUI 140 and write it to the save tables as set out above.

It will readily be appreciated that a similar procedure can be used to generate barcodes relating to other workplace elements.

In Figure 23, reference numeral 144 generally indicates a GUI for allowing an operator to enter details relating to an asset into the inventory directory 36. In this case the asset is in the form of a steriliser. The GUI 144 includes fields 146 to permit an operator to enter details of the steriliser into the inventory directory 36. In particular, the fields 146 define inputs for type, identification, model, area for the asset, installation date, manufacturer, supplier and warranty details. The computer 12 is configured to associate the identification of the steriliser with a particular datastring, which is then written to the asset code directory. This can be done at the computer 20, if necessary, so that the entered data can be communicated to the computer 12 via the network 14.

In Figure 24, reference numeral 148 generally indicates a GUI for allowing an operator to look up details relating to a prosthetic from the inventory directory 36. The GUI 148 thus includes a datastring input field 150 for allowing the operator to input a datastring that represents the prosthetic. The GUI also includes various other input fields 154 that can be used by the operator to input relevant information to facilitate the look up operation. The computer 12 is programmed to perform a look up

operation in the administrative database 30 to generate relevant data that is displayed in display fields 152.

In Figure 25, reference numeral 156 generally indicates a GUI for allowing the input of information relating to a particular surgical area to the administrative database 30. The GUI 156 includes input fields 158 to permit the input of the name of the area and a department in control of that area. This information is then retrieved when generating the save tables using the program described with reference to Figure 11.

10 In Figure 26, reference numeral 160 generally indicates a GUI for allowing an operator to look up information relating to operation procedure codes. The GUI 160 includes an input field 162 to permit the selection and input of a particular code. The GUI 160 further includes display fields 164 for displaying an operation name, a rebate value and indirect costs per hour associated with that particular operation. The computer 12 is thus programmed to retrieve the displayed information from the administrative database 30 upon the input of the operation code.

20 In Figure 27, reference numeral 165 generally indicates a GUI for allowing an operator to look up information relating to a particular patient. The GUI 165 includes an input field 166 so that the operator can select and input a particular code. The GUI 165 further includes display fields 168 for displaying a patient's first name and surname. The computer 12 is thus programmed to retrieve this information from the administrative database 30 upon the input of the patient code.

30 In Figure 28, reference numeral 170 generally indicates a GUI for allowing an operator to look up information relating to a particular asset. The GUI 170 includes a code input field 172 to allow the operator to select and input a particular asset code. This asset code can be obtained for example from the human-readable component 226 of the barcode label described above. The GUI 170 includes a number of display fields 174 for displaying information relating to the asset.

In Figure 29, reference numeral 176 generally indicates a GUI for allowing an operator to add details of a product acquired by the hospital. In this case, the

computer 20 generates the GUI so that the information can be communicated to the computer 12 via the network 14. The GUI 176 has input fields 178 for entering a supplier name, a product name, an order code, a product serial number, a number to order, purchase prices, a unit price per patient and a level at which more of the product should be ordered. The GUI 176 also has display fields 180 for displaying quantity in stock. Thus, the computer 12 is programmed to write the input data to the administrative database 30 to update the database 30. The computer 12 is also programmed to retrieve the data for the display fields 180 and to communicate that data to the computer 20, via the network 14.

10

In Figure 30, reference numeral 182 generally indicates a GUI for allowing a user to input data relating to a hospital to be added to the apparatus 10. Thus, the GUI 182 includes input fields 184 for inputting a hospital ID, a hospital name and a hospital description to the administrative database 30.

In Figure 31, reference numeral 186 generally indicates a GUI for allowing an operator to input data relating to a department of a hospital to the administrative database 30. Thus, the GUI includes input fields 188 for inputting a department name, a department description and a department location. The GUI also includes a display field 190 for displaying an automatically generated department datastring. Thus, the computer 12 is programmed to write the input data to the database 30 and to generate a datastring that is associated with that department. The datastring is written to the registration database 28 by the computer 12.

20

In Figure 32, reference numeral 192 generally indicates a GUI for allowing an operator to set up a barcode printer and scanner operation. The GUI 192 has input fields 194 for inputting a hospital name, a department name, an expiry date for the product for which a barcode is intended, a port from which the barcode is to be printed, a port to which the scanner 18 is to be connected, a check sheet order selection, a barcode suffix, a sheet cycle type and a scan style.

30

In Figure 33, reference numeral 196 indicates, schematically, one of the scanners 18. As can be seen, the scanner 18 is programmed to permit the selection of any of a number of procedures to which the scanner 18 is to be applied.

10 In Figure 34, reference numeral 198 generally indicates a GUI for allowing an operator to input preparation area details to the administrative database 30. The GUI 198 thus includes input fields 200 for inputting an area name and a department name. The computer 12 is thus programmed to write this data to the administrative database 30. The computer 12 is also programmed to generate a datastring that
 10 represents the preparation area and to write the datastring to the registration database 28.

As set out earlier, each procedure is associated with a particular group of workplace elements. The reason for this is that the management of workplace elements is greatly facilitated. For example, a particular medical professional can be associated with a particular procedure or procedures. Each of these procedures is then allocated a particular group number. Thus, each group number can be associated with a particular set or group of workplace elements. It follows that it can readily be assumed that whenever a particular procedure is carried out by a particular medical
 20 professional, a certain group of workplace elements are processed.

In Figure 36, reference numeral 202 generally indicates a printout, generated by the computer 12 of details of a group, in this case group 6, which is allocated the datastring "GRP6" that corresponds with a barcode 204. As can be seen in Figure 36, there is set out a table that has a "quantity" column, an "item name" column and an "item code" column. The workplace elements set out in the table are those that are used when the medical professional associated with group 6 carries out the procedure associated with group 6.

30 In Figure 35, reference numeral 206 generally indicates a manner in which the computer 12 is programmed to use group codes. At the start of the procedure, the barcode 204 is scanned. The resultant signal is processed to generate the datastring

"GRP6". The computer 12 is programmed to update the asset directory, the staff directory and the consumables directory, in the manner described above.

It follows, therefore, that it is not necessary for each of the workplace elements listed in Figure 37 to be scanned every time the group 6 procedure is carried out.

In Figure 37, reference numeral 208 generally indicates a sterilization procedure that is carried out in accordance with a method of the invention.

10 As is known, surgical instruments are usually collated in particular trays. It follows that each tray in an operating theatre holds a predetermined number and type of surgical instruments. In Figure 38, there is set out a list of surgical instruments that are associated with a particular tray that is referenced with a datastring "TY318260". The reason for the prefix "TY" is set out above. The numeric string following does not have any significance apart from the fact that it is associated with that particular tray.

Referring to Figure 38, once the instruments of that tray are ready for sterilization, the instruments are collated onto the tray and conveyed to a sterilization area. The instruments are then sterilized. Once sterilized, the instruments are inspected for defects and replaced if necessary.

20 As can be seen in Figure 38, the check sheet, which is generated by the computer 12, has an item number column, a substitution column, an identification column, a description column and a number of other checking columns.

The check sheet is presented in a suitable interface to the operator at the sterilization area so that, if one of the instruments is replaced, the operator can enter the ID number of the new instrument in the substitution column.

30 In this way, the inventory directory 36 is updated to record even the replacement of a single instrument in a tray.

The tray is then packed and wrapped in a suitable sealing material. The computer 12 is configured so that, once the tray is wrapped, the operator can use the computer

12, via the interface, to generate a datastring (TY318260). The interface includes a conventional barcode printer so that the operator can print a barcode corresponding to the datastring. This barcode is then applied to the wrapped tray, which is returned to the operating theatre. As set out above, the barcode label 134 is applied to the wrapped tray.

10 Prior to unwrapping the tray, the barcode 224 is scanned and the resultant datastring is processed in the manner described above. The duplicate barcode 228 is attached to the patient sheet. It will thus be appreciated that the patient can readily be associated with the particular tray used during the operation on the patient.

In Figure 39, there is shown an example of a patient theatre record that is generated by the computer 12 that is programmed in the manner described above.

20 The patient theatre record is an example of how the activity codes can be used to retrieve cost and thus profit/loss data relating to particular activities. The various components of the theatre record contain data that has clearly been extracted from the save tables described with reference to Figures 12 to 19. For example, details in a patient component 270 are retrieved, using the relevant activity codes from the save table 112. Details in a staff component 272 are retrieved, using the relevant activity codes, from the save table 120. Similarly, details in a sterile items component 274 are retrieved from the save table 124. Details in a prosthetics component 276 are retrieved from the save table 122. Details in an equipment component 278 are retrieved from a save table (not shown). Details in a procedure component 280 are retrieved from the save table 116. Details in a consumables component 282 are retrieved from the save table 126.

30 As can be seen, the use of the activity codes and the save tables allows the costs of each element of the various components to be set out in the patient record. Offsets such as allocation costs and rebate, which are contained in the save tables can also be written to the theatre record to generate an accurate profit margin amount indicated at 284.

In this invention, it is important to note that the generation of the save tables that carry activity codes allows a computer to be programmed to retrieve any set of details from the save tables by using the activity codes as data mining tools. Thus, the computer so programmed provides an operator with a convenient manner of extracting any desired record, simply by writing data from selected save tables into further save tables from which the data can be written into suitable report format.

10 It is a particular advantage of this invention that the activity codes allow the mining of relevant data through various hierarchical layers. In Figure 40, reference numeral 240 generally indicates an organigram that illustrates an application of the invention.

A healthcare organisation 242 is positioned at the top of the organigram 240. The healthcare organisation 242 can be in the form of a private organisation, a state or federal organisation or any other form of administrative body that controls a number of hospitals, indicated at 244. Each hospital 244 has a number of departments, two of which are indicated at 246. Each department 246 has a number of divisions, two of which are indicated at 248. Each division 248 has a number of sections, a section "a" indicated at 250 and a section "b" indicated at 251.

20 In practice, each section 250, 251 will control a number of activities that are carried out during the existence of section 250. It will be appreciated that there could be many thousands of activities carried out during the existence of section 250. For example section "a" 250 could control activity X indicated at 252, activity Y indicated at 254 and activity Z indicated at 256. It is to be noted that these are not generic activities, but rather discrete, real-time activities.

30 During each of the activities, a number of elements are used. As set out in the preamble, each element can be a member of staff, a tray of surgical instruments, an item of equipment, etc. In this case, elements 1 and 2 are used during activity X, elements 1, 4 and 6 are used during activity Y and elements 5, 7 and 9 are used during activity Z. The labels given to the elements are for the sake of convenience only.

As described earlier, the use of each element is recorded by scanning the element at the time of its use. The manner in which the information in connection with each element is recorded has already been described.

The organigram 240 indicates a computer 258. The computer 258 could be the secondary computer 20. The computer 258 is connected to a scanner 260 that is used at the section "a" 250 to scan all the elements used during each activity at the section "a" 250.

- 10 The computer 258 is programmed so that, once all the datastrings have been downloaded to the computer 258, from each respective activity, as described above, a unique activity code is allocated from the directory 57 to each respective activity. Thus, each of the unique activity codes can be associated with a set of datastrings that represent the elements used with the respective activities.

Further, as described above, the datastrings of each element provide an indication of their origin by the prefixes incorporated with the datastrings. It follows that simple algorithms can be used by the computer to mine information through the hierarchical system shown with the organigram 240.

20

- In conclusion, the Applicant submits that the present invention provides a means whereby detailed information concerning all activities in a healthcare organisation can be obtained efficiently and quickly. Furthermore, the invention provides a means whereby complex and detailed reports of all aspects of hospital administration can be compiled. This allows administrators to track and control all the activities that take place within a hospital. This is critically important as it allows administrators to put procedures in place that will greatly reduce the risk to patients and therefore reduce the need for costly insurance against liability claims. The primary reason for this is that the procedures can be monitored at any time in a real-time manner or at
30 intervals by generating periodical reports.

A particular advantage of the present invention is that it allows the generation of profit/loss amounts for each activity associated with a particular patient. At present,

10

each patient is generally processed to generate a cost of the whole procedure that is carried out on the patient. In other words, the procedure associated with a particular patient is not broken up into its various activities which are then analysed separately, as is facilitated by this invention. This invention allows a profit / loss evaluation of each activity within an episode of care during a patient's stay at a hospital. This allows profitability to be analysed within the individual activities performed during the patient's stay. It will be appreciated that this provides a means of isolating and improving various activities within a total procedure. This helps to avoid unnecessary rationalization of administrative processes by focussing on the source of perceived problems.


Furthermore, the fact that all the information is made available at the primary computer 12 greatly facilitates a management accounting process that can readily be outsourced to third parties.

Still further, over a period of time, the data generated can be used to improve greatly statistical and performance evaluations of various aspects of healthcare.

WHAT IS CLAIMED IS:

1. A method of administrating a healthcare organization, comprising:
generating element data representing workplace elements;
recording activity data relating to respective workplace activities associated with the workplace elements;
associating activity codes with the activity data;
retrieving the activity data and the element data with the activity codes; and
applying predetermined algorithms to the element data and the activity data to generate reports relating to workplace activities associated with the workplace elements.
2. An apparatus for administering an organization, comprising:
a data storage device that contains element data relating to a workplace element;
a recordal device that is configured to record use of the workplace element to generate activity data associated with the workplace element; and
at least one computer that is connected to the data storage device and the recordal device and that is programmed to generate activity codes associated with the activity data and to store said activity data and the associated activity codes in the data storage device, the, or each computer being further programmed to retrieve said activity data using the activity codes and to apply predetermined algorithms to the element data and the activity data to generate report data.






3/30 Procedure Preparation Scanner



FIGURE 3



FIGURE 4






FIGURE 6

FLEXIBLE THEATRE PROCEDURE




FIGURE 7

8/1/20

88

92

THEATRE SCANNING PROCESS

SCANNING PROCEDURE	DATA GENERATED
Scan Theatre	TH1-12345
Scan Patient	P12345
Scan Operation Start Time	OPSTART
Scan Assets	AS12345
Scan Staff	SI12345
Scan Prosthetics	PR12345
Scan Procedure	OP12345
Scan Sterile Items	TY12346 TY12345
Scan Operation Finish Time	OPFINISH




Write to delimited text file

TH1-12345-1-OPSTART-AS12345-0131-0822
 TH1-12345-1-OPSTART-SI-0131-0822
 TH1-12345-1-OPSTART-PR-0131-0822
 TH1-12345-1-OPSTART-OP1-0131-0822
 TH1-12345-1-OPSTART-TY12346-0131-0822
 TH1-12345-1-OPSTART-TY12345-0131-0822
 TH1-12345-1-OPSTART-12345-0131-0822
 TH1-12345-1-OPSTART-OPFINISH-0131-1045



Import into intermediate imported data file

FIGURE 8



IMPORTED DATA TABLE

Location ID	Patient ID	Operation ID	General	Date & Time
JH1	12345	NULL	PR1	31/01/03 08:22:00
			TY12346	
			TY12345	
		OP1	AS3	
		OP1	S7	
		OP1	S6	
		OP1	AS4	
		OP1	143	
		OP1	OPSTART	31/01/03 08:22:00
		OP1	OPFINISH	31/01/03 08:45:23

Process imported data table


Perform lookup and
adjust counts and
amounts

Write to 'save' tables
for Theatre process

Generate reports



FIGURE 10



Process imported data table (continued)

12/30

If prefix = 'Y'

Look up
tblProcessArrayGet department
process cost
allocation cost

If no prefix

Look up
tblProductsGet unit price
and adjust
stock number

If OPSTART

Look up date &
time

If OFFINISH

Look up date &
time

else

TY 12345
Scissor

else

12345
Basic Pack

else

OPSTART =
08:22:00

else

OFFINISH =
08:45:23

106

Figure
VI

Process imported data table (continued)

13/30

Write to
tables
☐ Save Patient Details

FIGURE 11

☐ Save Operations

12

OpNumber	Location	Patient	General	Date	First	Surname	Theatre
				Time	Name		
1	TH1	12345	OPSTART	31/01/03 8:22:00			Theatre 1
2							

FIGURE 12

☐ Save Assets

13

OpNumber	OpCode	OpName	Rebate	IndirectCost
1	OP1	Knee Recon		
2				

FIGURE 13

☐ Save Process Tray

14

FIGURE 14

OpNumber	Code	Name	Allocation Cost	Amortizing Uses
1	AS12345	Anaesthetic M/C		271
2				

☐ Save Process Tray

15

FIGURE 15

OpNumber	TrayNumber	TrayName	Dept	Process Cost	Allocation Cost
1	TY12345	Scissor	Theatre		
1	TY12346	Forcep	Theatre		
2					

Process imported data table (continued)

tblSaveProducts

OpNumber	Product No	Name	Serial No	Unit Price
1	12345	Basic Pack	HLT0432	
2				

FIGURE 16

tblSaveProsthetics

OpNumber	Barcode	Description	Cost
1	PR111	Knee Bl	
2			

FIGURE 17

tblSaveStaff

OpNumber	Staff Code	First Name	Surname	Title	Dept	Rate
1	5	St		Nurse	Theatre	
2						

FIGURE 18

Calculate duration
from tblSavePatientsCalculate staff cost based
on duration from
tblSaveStaff

tblSaveTotals

OpNo	Start	Fin	Dur	Staff	Inst	Pros	Ass	Reb	I/C	Cons
1										
2										

FIGURE 19

1.5/30



FIGURE 20

138

136

140

14

19/30

Sterilisers


Steriliser Type	Autoclave
Manufacturer	Autoclave
Model	Autoclave
Area	Autoclave
Installation Date	Autoclave
Location	Autoclave
Supplier	Autoclave
Quantity	Autoclave

FIGURE 23

PROSTHESIS DETAILS

SIMS Barcode	150
Manufacturer Barcode/Serial No	148
Description	152
Manufacturer	154
Batch Number	156
Supplier	158
Store/Location	160
Sterile/Non-Sterile	162
Shelf Life	164
Patient Number	166
Returned	168
Cost	170
Implant Details	172

FIGURE 24





172

172

170

FIGURE 28

25/1/20

Add Product Details

Supplier Name: Product Name:

Product Name:	<input type="text" value="178"/>
Order Code:	<input type="text" value="0000"/>
Product Barcode/Serial No:	<input type="text" value=""/>
Supplier Name:	<input type="text" value=""/>
Carton In Stock:	<input type="text" value=""/>
Boxes In Stock:	<input type="text" value=""/>
Units In Stock:	<input type="text" value=""/>
Number To Order:	<input type="text" value=""/>
Carton Purchase Price:	<input type="text" value="0.00"/>
Box Purchase Price:	<input type="text" value="0.00"/>
Per Unit Price:	<input type="text" value="0.00"/>
Reorder Level Units:	<input type="text" value=""/>

180

178

FIGURE 29

Add Hospital

Emergency

Hospital ID:


Hospital Name:

Description:

181

182

FIGURE 30




22/30



FILE NO 33



FIGURE 34



60456863 .032102


DETAILS OF MEDICAL PRACTITIONER



GRP6

Quantity	Item Name	Item Code
1	Emulsifier	AS3
1	Local Anaesthetic	57
1	Anaesthetic Machine	AS
1	Staff Member 1	S5
1	Staff Member 2	S6
1	Balance Salt Solution 500 ml	459
1	Staff Member 3	S56
1	Betadine Antiseptic Solution	418
1	Eye Prod (Oxybuprocaine/Benoxinate) 0.4%	86
1	Gloves, Dermal Prene, Size 7	683
2	Injection Syringes 1ml Bare I/D Terumo	119
1	Injection Syringes 2ml Bare slip Terumo	120
1	Staff Member 4	S20
1	Maxvac Basic Cat Pack	473
1	Microthins 6 1/2	223
1	Moller Wedel Microscope	AS4
1	Overshoe Cover Non-slip Elastic Blue 50 p/box	133
1	Soft fit Bouffant Cap Regular Celebration Print	288
1	Tape Hypoallergenic Micropore 25mm X 9.1mm	152

FIGURE 3.6



Tuesday, 23 January 2003

FIGURE 38

64456663 0152442

28/20

Patient Theatre Records

Patient: UR007283
 Theatre: O.T. 1
 Start: 22/11/2001 09:55:00 Finish: 22/11/2001 10:15:00 Duration: 00:20:00

Staff:

Staff Code	Surname	Title	Cost
S10		RN	
S16		EN	
S39		Anaesthetist	
S4		ARN	
S21		Ophthalmic Surgeon	

Sterile Items:

Item Number	Item Name	Allocation Cost	Process Cost
TY29013	Phaco hand piece no 1 set	73	15
TY29012	Calatrack tray no 1	125	15
TY29011	Cataract prep set & handles no 1	15	5

Prosthetics:

Barcode	Description	Cost
RP3151	AR40 17/0D	\$0.00

Equipment:

AMS Barcode	Equipment Name	Allocation Cost
AS1	Anaesthetic Machine	\$0.00
AS3	Alcon Phaco Emulsifier	\$0.00
AS4	Moller Wedel Microscope	\$0.00

Procedures:

ID	Procedure Name	Rebate	Indirect Cost
OP100	Phaco & IOL - Medibank	\$1,500.00	15

FIGURE 31

60456663 00000000

Patient Theatre Records

Patient: UR007283

Theatre: O1

Start: 22/11/2001 09:55:00

Finish: 22/11/2001 10:15:00

Duration: 00:20:00

Consumables

ID	Consumable Name	Cost
1177	Anaesi Local Xylocaine Plain 1% (50x5ml) SA	1.50
1186	Eye Prod (M) Hims Oxybutyrocaine Benoxinate 0.4% SA	1.50
1191	Injection Syringes 1ml Baret/D Terumo	1.50
1195	Injection Syringes 1ml Baret/D Terumo	1.50
1201	Injection Syringes 2ml Baret/D Terumo	1.50
1333	Overshoe Cover Non Slip Elastic Blue 50pr per box	1.50
1521	Tapeit Hypoallergenic Micropore 25mmx9.1mm	1.50
1223	Microthins 6x1/2	1.50
1288	Soft Fit Bouffant Cap Regular Celebration Print	1.50
1298	Anesil Powderless Glove Microthins Size 8	1.50
1418	Betadine Antiseptic Solution (Brown B)	1.50
1459	Balance Salt Solution 500ml	1.50
1473	Max Vac Basic Cat Pak	1.50
1616	Gentamycin 80mg/2ml	1.50
1617	Vancomycin vial 0.5mg	1.50


Total Costs:

Rebate:

Profit Margin:

2.84

110002831



Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/AU04/000353

International filing date: 22 March 2004 (22.03.2004)

Document type: Certified copy of priority document

Document details: Country/Office: US
Number: 60/456,863
Filing date: 21 March 2003 (21.03.2003)

Date of receipt at the International Bureau: 28 February 2005 (28.02.2005)

Remark: Priority document submitted or transmitted to the International Bureau but not in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse

This Page is inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☒ FADED TEXT OR DRAWING
- ☒ BLURED OR ILLEGIBLE TEXT OR DRAWING
- ☒ SKEWED/SLANTED IMAGES
- ☐ COLORED OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☐ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☒ REPERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: _____

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images
problems checked, please do not report the
problems to the IFW Image Problem Mailbox**